

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/750,592	12/28/2000	Bhupal Kanaiyalal Dharia	SPECT-01041US0 DEL 6761		
38284 7.	590 03/11/2004		EXAMINER		
RYDER IP LAW, PC			RAMPURIA, SHARAD K		
DOUGLAS J. RYDER 3669 CONCORD ROAD			ART UNIT	PAPER NUMBER	
DOYLESTOWN, PA 18901			2683	io	
			DATE MAILED: 03/11/2004	10	

Please find below and/or attached an Office communication concerning this application or proceeding.

<u> </u>						
-	Application No.	Applicant(s)				
	09/750,592	DHARIA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Sharad Rampuria	2683				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a re - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by stat - Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b). Status	N. 1.136(a). In no event, however, may a reply be tireply within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from ute, cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on 0.	3 January 2004 .					
	This action is non-final.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims						
4) Claim(s) 1-4,6-15,25-28,30-33,37-39,42,43,45,49-53 and 56-73 is/are pending in the application.						
4a) Of the above claim(s) <u>5, 16-24, 29, 34-36, 40-41, 44, 46-48, & 54-55</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-4, 6-15, 25-28, 30-33, 37-39, 42-43, 45, 49-53, 56-73</u> is/are rejected.						
7)☐ Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
11)☐ The proposed drawing correction filed on is: a)☐ approved b)☐ disapproved by the Examiner.						
If approved, corrected drawings are required in reply to this Office action.						
12)☐ The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).						
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.						
Attachment(s)						
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s	5) Notice of Informal	y (PTO-413) Paper No(s) Patent Application (PTO-152)				
J.S. Patent and Trademark Office						

Art Unit: 2683

Response to Amendment

Applicant's arguments with respect to claims 1-4, 6-15, 25-28, 30-33, 37-39, 42-43, 45, 49-53, 56-73 have been considered but are moot in view of the new ground(s) of rejection.

Claims 5, 16-24, 29, 34-36, 40-41, 44, 46-48, & 54-55 are cancelled.

DETAILED ACTION

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-4, 8-15, 25-27, 30-33, 37-38, 42-43, 46, 49-52, 57-73 are rejected under 35 U.S.C. 103(a) as being unpatentable over McLaughlin et al. in view of Howard et al.

1. Regarding claim 1, McLaughlin disclosed A communication system for communication using wireless signals including down-link signals to and up-link signals from mobile stations, comprising, a plurality of transceiver stations having broadcast channels and dedicated channels carried by said wireless signals, (Abstract)

Art Unit: 2683

إي

measurement means for forming measurements of said wireless signals, (Col.10; 63 - Col.11; 3)

McLaughlin fails to disclosed determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station. However, Howard teaches in an analogous art, that zone manager means including, processor means to process said measurements to determine preferred ones of said transceiver stations for particular dedicated channels for a particular mobile station (Col.13; 1-64)

control means to dynamically select said preferred ones of said transceiver stations to provide said particular dedicated channels for said particular mobile station separately from one of said transceiver stations providing particular broadcast channels for said particular mobile station. (Col.13; 1-64) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station in order to provide a particular broadcaster for separate transmission.

- 2. Regarding claim 2, McLaughlin disclosed The communication system of claim 1 wherein said measurement means measures said up-link signals from said particular mobile station to form said measurements. (Col.9; 29-56)
- 3. Regarding claim 3, McLaughlin disclosed The communication system of claim 2 wherein, said control means is responsive to said processor information for changing said dedicated

Art Unit: 2683

٤,

channels as frequently as a signal change time determined by a frequency of said up-link signals. (Col.11; 4-15)

- 4. Regarding claim 4, McLaughlin disclosed all the particulars of the claim except change time is approximately an up-link signal frame rate of said up-link signals. However, Howard teaches in an analogous art, that The communication system of claim 3 wherein said change time is approximately an up-link signal frame rate of said up-link signals. (Col.14; 64 Col.15; 8) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include change time is approximately an up-link signal frame rate of said up-link signals in order to provide perfect isolation to increase frequency reuse and thereby increase system capacity.
- 8. Regarding claim 8, McLaughlin disclosed The communication system of claim 1 wherein said zone manager means is formed of a plurality of zone managers, one for each of said transceiver stations. (Col.12; 43-51)
- 9. Regarding claim 9, McLaughlin disclosed The communication system of claim 8 wherein said zone managers are co-located with said transceiver stations at macrodiverse locations. (Col.12; 53-59)
- 10. Regarding claim 10, McLaughlin disclosed he communication system of claim 9 wherein said zone managers are interconnected with each other forming a network. (Col.9; 29-56)

Art Unit: 2683

ι, ί

- 11. Regarding claim 11, McLaughlin disclosed The communication system of claim 8 wherein two or more of said zone managers are co-located at a common location. (Col.9, 29-56)
- 13. Regarding claim 13, McLaughlin disclosed The communication system of claim 8 wherein said plurality of zone managers include a host zone manager and one or more assistant zone managers, said host zone manager operative to communicate over said particular broadcast channels with said particular mobile station while said particular dedicated channels for said particular mobile station are dynamically switched among said one or more assistant zone managers and said host zone manager. (Col.12; 34-59)
- 14. Regarding claim 14, McLaughlin disclosed The communication system of claim 13 wherein said measurement means includes a plurality of measurement units, one for each of said zone managers, where each measurement unit measures up-link traffic signals from said particular mobile station to form ones of said measurements as unit measurements. (Col. 12; 34-59)
- 15. Regarding claim 15, McLaughlin disclosed The communication system of claim 13 wherein, said transceiver stations include a plurality of macro-diverse broadcasters distributed at macro-diverse broadcaster locations for broadcasting said down-link signals and include a plurality of macro-diverse collector means distributed at macro-diverse collector locations for receiving said up-link signals and providing received signals for said particular mobile station, (Col.9; 29-56) said

Art Unit: 2683

measurement means includes a plurality of measurement units, (Col.10; 63 - Col.11; 3) one for each of said zone managers (20; Fig.1), where each measurement unit measures up-link signals from said particular mobile station to form unit measurements representing the quality of said received signals at one of said macrodiverse collector locations, (Col.11; 4-15) said

McLaughlin fails to disclosed determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station. However, Howard teaches in an analogous art, that processor means for a host zone manager receives a plurality of said unit measurements and operates for processing said unit measurements to provide host processor information for determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station, (Col. 13; 1-17) said control means dynamically selects said particular dedicated channels for said particular mobile station by selecting said preferred ones of said broadcasters to provide particular down-link signals and dynamically selects said preferred ones of said collectors to receive particular up-link signals for said particular mobile station. (Col. 13; 1-17) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station in order to provide a particular broadcaster for separate transmission.

25. Regarding claim 25, McLaughlin disclosed The communication system of claim 1 wherein said manager means is formed of a plurality of zone managers, one for each of said transceiver

Art Unit: 2683

stations, each particular one of said zone managers having, control means including, a resource manager for managing available resources in said communication system, an airlink controller for controlling the radio channels in said communication system, interface means for providing interfaces for said particular one of said zone managers. (Col. 12; 34-59)

- 26. Regarding claim 26, McLaughlin disclosed The communication system of claim 25 wherein said interface means includes a zone_manager-to-zone_manager interface manager for controlling zone manager links among said zone managers. (Col.12; 34-59)
- 27. Regarding claim 27, McLaughlin disclosed The communication system of claim 25 wherein said interface means includes a transceiver interface for controlling a transceiver link from said particular one of said zone managers to a corresponding transceiver station. (Col.12; 34-59)
- 30. Regarding claim 30, McLaughlin disclosed The communication system of claim 25 wherein one or more of said zone managers is integrated into one or more of said transceiver stations.

 (Col.9; 29-56)
- 31. Regarding claim 31, McLaughlin disclosed The communication system of claim 1 wherein said control means includes broadcaster commands for controlling the down-link signals to each of selected ones of said mobile stations and collector commands for controlling the plurality of macro-diverse collectors for changing the up-link signals for each of other selected ones of said mobile stations. (Col.9; 29-56)

Art Unit: 2683

- 32. Regarding claim 32, McLaughlin disclosed The communication system of claim 1 wherein said wireless signals employ multiple access protocols. (Col.9; 15-21)
- 33. Regarding claim 33, McLaughlin disclosed The communication system of claim 32 wherein said wireless signals employ TDMA, CDMA, SDMA, FDMA protocols. (Col.9; 15-21)
- 37. Regarding claim 37, McLaughlin disclosed The communication system of claim 1 wherein said transceiver stations communicate over a region containing one or more zones and said measurement means includes measurements from one or more collectors in said transceiver stations. (Col.12; 34-59)
- 38. Regarding claim 38, McLaughlin disclosed The communication system of claim 37 wherein said measurements from one or more collectors include radio link conditions between a mobile station and said one or more collectors. (Col.12; 34-59)
- 42. Regarding claim 42, McLaughlin disclosed The communication system of claim 37 wherein said measurements from one or more collectors are processed in the zone manager means related to said one or more base transceiver stations. (Col.9; 29-56)
- 43. Regarding claim 43, McLaughlin disclosed The communication system of claim 1 wherein said zone manager means includes a host zone manager and one or more assistant zone managers

Art Unit: 2683

and said host zone manager processes said measurements from the one or more assistant zone manager means to provide processed measurements. (Col.12; 34-59)

- 46. Regarding claim 46, McLaughlin disclosed The communication system of claim 44 wherein said processor information includes timing and synchronization information. (Col.11; 4-15)
- 49. Regarding claim 49, McLaughlin disclosed The communication system of claim 1 wherein said transceiver stations include broadcaster controllers for controlling broadcaster transmitters and said broadcaster controller selects one or more broadcaster transmitters for forward communications with mobile stations based on said processor information. (Col.9; 29-56)
- 50. Regarding claim 50, McLaughlin disclosed In a communication system for communication using wireless signals including down-link signals to and up-link signals from mobile stations, the method comprising, transmitting, from a plurality of transceiver stations, broadcast channels and dedicated channels over said wireless signals, (Abstract)

McLaughlin fails to disclosed determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station. However, Howard teaches in an analogous art, that forming measurements of said wireless signals with measurement means, with zone manager means, processing, with processor means, said measurements forming processor information to determine preferred ones of said transceiver stations for particular dedicated channels for a particular mobile station,

Art Unit: 2683

dynamically selecting, with control means, said preferred ones of said transceiver stations to provide said particular dedicated channels for said particular mobile station separately from one of said transceiver stations providing particular broadcast channels for said particular mobile station. (Col.13; 1-64) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station in order to provide a particular broadcaster for separate transmission.

- 51. Regarding claim 51, McLaughlin disclosed In the communication system of claim 50, measuring said up-link signals from said particular mobile station to form said measurements. (Col.9; 29-56)
- 52. Regarding claim 52, McLaughlin disclosed In the communication system of claim 50, changing said dedicated channels as frequently as a signal change time determined by a frequency of said up-link signals. (Col.11; 4-15)
- 57. Regarding claim 57, McLaughlin disclosed A communication system for providing wireless communications with mobile devices, the system comprising: (Abstract)

 McLaughlin fails to disclosed determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station.

 However, Howard teaches in an analogous art, that a plurality of transceiver stations to communicate with mobile devices, wherein the plurality of transceiver stations communicate via

Art Unit: 2683

broadcast channels and dedicated channels, wherein one of the plurality of transceiver stations having best radio access to a first mobile device will be designated a host transceiver station for the first mobile device, and wherein the host transceiver will provide the broadcast channels for communication with the first mobile device; (Col.13; 1-64) and a plurality of processors associated with said plurality of transceivers to manage communications, wherein one of the plurality of processors associated with the host transceiver station will be a host zone manager for the first mobile device, wherein the host processor is capable of dynamically selecting one or more of the plurality of transceiver stations to provide the dedicated channels for communications with the first mobile device based on signal measurements, wherein the dynamic selection does not affect the host transceiver providing the broadcast channels. (Col.13; 1-64) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station in order to provide a particular broadcaster for separate transmission.

- 58. Regarding claim 58, McLaughlin disclosed The system of claim 57, wherein the signal measurements are measurements of up-link signals from the first mobile device. (Col.9; 29-56)
- 59. Regarding claim 59, McLaughlin disclosed The system of claim 57, wherein said host processor receives signal measurements from at least some subset of said plurality of processors, wherein the signal measurements are measurements of uplink signals from the first mobile station; processes the signal measurements received; and

Art Unit: 2683

dynamically selects, based on the processed signal measurements, the one or more of said plurality of transceivers and the associated processors to provide the dedicated channels for the first mobile device. (Col.10; 5-18)

- 60. Regarding claim 60, McLaughlin disclosed The system of claim 59, wherein said host processor also instructs the one or more of said plurality of transceivers and the associated processors that they are providing the dedicated channels for the first mobile device. (Col.9; 29-56)
- 61. Regarding claim 61, McLaughlin disclosed The system of claim 57, wherein said plurality of processors are connected together. (Col.10, 44-67)
- 62. Regarding claim 62, McLaughlin disclosed The system of claim 58, wherein said processor may dynamically change the transceiver station providing the dedicated channels as frequently as frequency of the up-link signals. (Col. 10; 5-18)
- 63. Regarding claim 63, McLaughlin disclosed The system of claim 57, wherein a first set of transceivers can provide uplink communications and a second set of transceivers can provide downlink communications. (Col.10; 44-67)
- 64. Regarding claim 64, McLaughlin disclosed The system of claim 57, wherein a first set of transceivers can provide traffic signals and a second set of transceivers can provide control signals. (Col. 10; 44-67)

broadcast channels; (col.10; 44-67)

65. Regarding claim 65, McLaughlin disclosed A processor for use in a communication system for providing wireless communications with mobile stations (col. 10; 44-67), the processor comprising:

a transceiver interface to receive signals from an associated transceiver and to provide instructions to the associated transceiver, wherein the signals received from the associated transceiver include uplink signals from mobile devices; (col.10; 44-67) a controller interface to communicate with a controller, wherein the communications with the controller include assignment of a host transceiver and host processor for a particular mobile device,, wherein the host transceiver communicates with the particular mobile device via

McLaughlin fails to disclosed determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station.

However, Howard teaches in an analogous art, that a processor interface to communicate with a plurality of other processors, wherein the communications related to the particular mobile device include receipt of measurement signals related to the particular mobile station and transmission of instructions if said processor is the host processor, and includes receipt of instructions from a host processor and transmission of measurement signals associated with the particular mobile station to the host processor if said processor is not the host processor; (Col.13; 1-64) a signal processor, active for the particular mobile device when said processor is the host processor, to process the measurement signals received from at least some subset of the plurality of other processors and the measurement signal from said processor; (Col.13; 1-64) and

Art Unit: 2683

a selector to dynamically select an assistant processor and associated assistant transceiver to provide communications with the particular mobile device via dedicated channels based on the processed measurement signals. (Col.13; 1-64) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include determining preferred ones of said broadcasters and preferred ones of said collectors for said particular dedicated channels for said particular mobile station in order to provide a particular broadcaster for separate transmission.

- 66. Regarding claim 66, McLaughlin disclosed The processor of claim 65, wherein the measurement signals are measurements of up-link signals from the particular mobile device. (Col.9; 29-56)
- 67. Regarding claim 67, McLaughlin disclosed The processor of claim 65, wherein said selector may dynamically select as frequently as frequency of the up-link signals. (Col. 10; 5-18)
- 68. Regarding claim 68, McLaughlin disclosed The processor of claim 65, wherein said processor may be the host processor for a first mobile device and an assistant processor for a second mobile device. (Col.9; 29-56)
- 69. Regarding claim 69, McLaughlin disclosed The processor of claim 65, wherein said processor interface for a host processor transmits instructions to an assistant processor to provide the dedicated channels for communication with the particular mobile device when said selector

Art Unit: 2683.

selects the associated assistant transceiver to provide communications with the particular mobile device via the dedicated channels. (Col 10; 5-18)

- 70. Regarding claim 70, McLaughlin disclosed all the particulars of the claim except the dedicated channels for communication with the particular mobile device when the host processor. However, Howard teaches in an analogous art, that The processor of claim 65, wherein said processor interface for an assistant processor receives instructions from a host processor to provide the dedicated channels for communication with the particular mobile device when the host processor selects the associated assistant transceiver to communicate with the particular mobile device via the dedicated channels. (Col. 13; 1-64) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include the dedicated channels for communication with the particular mobile device when the host processor in order to provide a particular broadcaster for separate transmission.
- 71. Regarding claim 71, McLaughlin disclosed The processor of claim 65, further comprising a resource manager for controlling radio frequencies of associated transceiver. (Col.10; 44-67)
- 72. Regarding claim 72, McLaughlin disclosed The processor of claim 65, wherein said host processor can select a first set of transceivers to provide uplink communications and a second set of transceivers to provide downlink communications. (Col.10; 5-18)

Art Unit: 2683°

73. Regarding claim 73, McLaughlin disclosed The processor of claim 65, wherein said host processor can select a first set of transceivers can provide traffic signals and a second set of transceivers can provide control signals. (Col.10; 5-18)

Claims 6-7, 18-19, & 53-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over McLaughlin et al. & Howard et al. further in view of Chavez et al.

- 6. Regarding claim 6, The above combination disclosed all the particulars of the claim except change time is less than 1 second. However, Chavez teaches in an analogous art, that The communication system of claim 3 wherein said change time is less than 1 second. (Col.5; 12-16) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include change time is less than 1 second in order to provide improvement in cell boundary control with reduced time consumption.
- 7. Regarding claim 7, The above combination disclosed all the particulars of the claim except measurement signals occurring at a measurement signal rate of 1/T. However, Chavez teaches in an analogous art, that The communication system of claim 1 wherein said up-link signals from said particular mobile station are measurement signals occurring at a measurement signal rate of 1/T and wherein said processor operates, to generate said measurements at a rate of 1/T, to integrate a plurality of said measurements over an integration length to form integrated measurement reports, to form said integrated measurement reports using said processor information. (Col.8; 50 Col.9; 25) Therefore, it would have been obvious to one of ordinary

Art Unit: 2683

skill in the art at the time of invention to include measurement signals occurring at a measurement signal rate of 1/T in order to reduce interference and time consumption.

- 18. Regarding claim 18, The above combination disclosed all the particulars of the claim except change time is a multiple of said up-link signal frame rate. However, Chavez teaches in an analogous art, that The communication system of claim 17 wherein said change time is a multiple of said up-link signal frame rate. (Col.5; 61 Col.6; 4) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include change time is a multiple of said up-link signal frame rate in order to provide improvement in cell boundary control with reduced time consumption.
- 19. Regarding claim 19, The above combination disclosed all the particulars of the claim except measurement signals occurring at a measurement signal rate of 1/T. However, Chavez teaches in an analogous art, that The communication system of claim 15, wherein said up-link signals from said particular mobile station are measurement signals occurring at a measurement signal rate of 1/T, wherein said measurement unit in each zone manager operates to generate said unit measurements at a rate of 1/T, wherein said processor means in each zone manager operates, respectively, to generate integrated unit measurement reports by integrating a plurality of said unit measurements, respectively, over an integration length. (Col.8; 50 Col.9; 25) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include measurement signals occurring at a measurement signal rate of 1/T in order to reduce interference and time consumption.

Art Unit: 2683

- 53. Regarding claim 53, The above combination disclosed all the particulars of the claim except change time is approximately an up-link signal frame rate of said up-link signals. However, Chavez teaches in an analogous art, that The communication system of claim 52 wherein said change time is approximately an up-link signal frame rate of said up-link signals. (Col. 5; 27-46) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include change time is approximately an up-link signal frame rate of said up-link signals in order to provide improvement in cell boundary control with reduced time consumption.
- 56. Regarding claim 56, The above combination disclosed all the particulars of the claim except measurement signals occurring at a measurement signal rate of 1/T. However, Chavez teaches in an analogous art, that The communication system of claim 50 wherein said up-link signals from said particular mobile station are measurement signals occurring at a measurement signal rate of 1/T and wherein said processing operates, to generate said measurements at a rate of 1/T, to integrating a plurality of said measurements over an integration length to form integrated measurement reports, to form said integrated measurement reports using said processor information. (Col.8; 50 Col.9; 25) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include measurement signals occurring at a measurement signal rate of 1/T in order to reduce interference and time consumption.

Claims 12, 28, & 39, are rejected under 35 U.S.C. 103(a) as being unpatentable over McLaughlin et al. & Howard et al. further in view of Kao.

Page 19

Application/Control Number: 09/750,592

Art Unit: 2683

- 12. Regarding claim 12, The above combination disclosed all the particulars of the claim except a controller link having an interface between a base station controller and one of said transceiver stations and one of said zone managers. However, Kao teaches in an analogous art, that The communication system of claim 11 wherein said common location is a base station controller in a cellular system. (Col.6; 15–23) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include a controller link having an interface between a base station controller and one of said transceiver stations and one of said zone managers in order to provide a controller to monitor one or more base stations.
- 28. Regarding claim 28, The above combination disclosed all the particulars of the claim except a controller link having an interface between a base station controller and one of said transceiver stations and one of said zone managers. However, Kao teaches in an analogous art, that The communication system of claim 25 wherein said communication system includes a controller link having an interface between a base station controller and one of said transceiver stations and one of said zone managers, corresponding to said one of said transceiver stations, is in said controller link. (Col.6; 15–23) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include a controller link having an interface between a base station controller and one of said transceiver stations and one of said zone managers in order to provide a controller to monitor one or more base stations.

Art Unit: 2683

į

39. Regarding claim 39, The above combination disclosed all the particulars of the claim except radio link conditions include path loss. However, Kao teaches in an analogous art, that The communication system of claim 38 wherein said radio link conditions include path loss. (Col. 10; 38-46) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include radio link conditions include path loss in order to provide an improved wireless communication system which overcome the limitations of conventional cellular system.

Claim 45 is rejected under 35 U.S.C. 103(a) as being unpatentable over McLaughlin et al. & Howard et al. further in view of Ueno et al.

45. Regarding claim 45, The above combination disclosed all the particulars of the claim except priority levels for the communication links with mobiles. However, Ueno teaches in an analogous art, that The communication system of claim 43 wherein said processor information includes priority levels for the communication links with mobiles, timing and synchronization information, transmit power level, and locations of mobile stations. (Col.16; 31–39) Therefore, it would have been obvious to one of ordinary skill in the art at the time of invention to include priority levels for the communication links with mobiles in order to provide meta-signaling procedure based on performance.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 2683

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sharad Rampuria whose telephone number is 703-308-4736. The examiner can normally be reached on Mon-Thu. (8:15-5:45) alternate Fri. (8:15-4:45).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on 703-308-5318. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9314 for regular communications and 703-872-9314 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4700.

Sharad k. Rampuria March 5, 2004

> WILLIAM TROST SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600